

# COLISEUM 4 ECO



## Product categories




Frozen Food  
and Ice cream

## Technical features



Ventilated



Remote  
condensing unit



LED lighting



High efficiency  
fans



Electric defrost



Zero C doors

## Certification and patents




Eurovent\*

\* Epta S.p.A. participates in the ECC programme for:  
Refrigerated display cabinets (RDC); Check ongoing validity  
of certificate online: [www.eurovent-certification.com](http://www.eurovent-certification.com)  
or using: [www.certiflash.com](http://www.certiflash.com)


## Product range

COLISEUM 4 ECO							
Length-Lunghezza Longueur-Länge-Longitud mm			1880	2500	3750	EOL2240	EOL2450
COLISEUM 4 ECO	H2000	LG300	•	•	•	•	•
		HG400	•	•	•	•	•
	H2200	LG300	•	•	•	•	•
		HG400	•	•	•	•	•
Display area Superficie di esposizione Warenpräsentat- ionsfläche Surface d'exposition Superficie expositiva m2	H2000	LG300	1.71	2.29	3.44	1.71	1.80
		HG400	1.83	2.45	3.68	1.83	1.82
	H2200	LG300	1.94	2.60	3.91	1.94	1.95
		HG400	2.06	2.76	4.15	2.06	1.97
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	H2000	LG300	2.22	2.94	4.41	2.22	2.82
		HG400					
	H2200	LG300	2.22	2.94	4.41	2.22	2.82
		HG400					
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitat neta dm3	H2000	LG300	1193.00	1581.00	2372.00	1193.00	1075.00
		HG400					
	H2200	LG300	1344.00	1781.00	2672.00	1344.00	1155.00
		HG400					
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chaque joue Espesor lateral mm			51.00 (+ 104 Batticarrello/Bumper Rail/Pare-choc/Wagenstoßleiste/Parachoques)				


## Cross sections



H2000 - LG300




H2200 - LG300




H2000 - HG400

## Cross Sections



H2200 - HG400



EPTABLUÉ - OPTION