





| Flash                    |               |               |               |               |               |               |
|--------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| Flash                    | FLASH         |               | FLASH XL      |               |               |               |
|                          | 1500          | 2000          | 1500          | 2000          | 1500          | 2000          |
|                          | •             | •             | •             | •             | •             | •             |
| Display area m2          | 1.34          | 1.78          | 1.34          | 1.78          | 1.05          | 1.45          |
| Loading area m2          | 1.50          | 2.00          | 1.50          | 2.00          | 1.50          | 2.00          |
| Net storage capacity dm3 | 266.00        | 362.00        | 323.00        | 431.00        | 266.00        | 362.00        |
| Length mm                | 1500x925x1000 | 2000x925x1000 | 1500x925x1000 | 2000x925x1000 | 1500x925x1000 | 2000x925x1000 |
| Height mm                |               |               |               |               |               |               |
| Depth mm                 |               |               |               |               |               |               |

FESTIVAL



XL



### Legend

|                                                                                                               |                                                                                                                       |                                                                                                                  |                                                                                                                              |
|---------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|
|  Meat                         |  Chicken                             |  Fish                           |  Pre-packed fish                          |
|  Delicatessen                 |  Cheese                              |  Dairy products                 |  Gastronomy                               |
|  Pastries                     |  Pre-packed fish                     |  Fruits and Vegetables          |  Sandwiches                               |
|  Drinks                      |  Pizza                              |  Bread                         |  Frozen food and ice cream               |
|  Off-cycle defrost          |  Electric defrost                  |  Hot-gas defrosting system    |  Manual defrost                         |
|  Ventilated                 |  Static                            |  Incorporated condensing unit |  Remote condensing unit                 |
|  Bagnomaria                 |  Ceramic glass                     |  Ice                          |  VSD Inverter technology                |
|  LED lighting               |  Zero C doors                      |  High efficiency fans         |  R290 Propane refrigerant gas (R290)    |
|  R134a - 400V/3PH/50Hz      |  R404A - 400V/3PH/50Hz             |  R744 - 400V/PH/50Hz          |  Semi-hermetic reciprocating compressor |
|  Hermetic scroll compressor |  Compressor hermetic reciprocating |  External installation        |  Machinery room                         |
|  Soundproof housing         |  On board condenser                |  Remote condenser             |  DUAL Medium & Low temperature          |