

COLISEUM UP

/ Multideck

Negative Horizontal, Vertical and Semivertical



BEST ENERGY CLASS*



Product Categories



Frozen Food
and Ice
cream

Technical Features




Electric
defrost



High
efficiency
fans



LED lighting




Remote
condensing
unit



Ventilated

Certification and Patents







Eurovent

Product Range

COLISEUM UP					
Lenght-Lunghezza Longueur-Länge-Longitud mm		1880	2500	3750	EOL2240
COLISEUM UP	H2000	•	•	•	•
	H2200	•	•	•	•
Display area Superficie di esposizione Warenpräsentat- ionsfläche Surface d'exposition Superficie expositiva m2	H2000	1.83	2.45	3.68	1.83
	H2200	2.06	2.76	4.15	2.06
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	H2000	2.22	2.94	4.41	2.22
	H2200	2.22	2.94	4.41	2.22
Net storage capacity Capacità netta Nutzinhalt volume utile Capacidad neta dm3	H2000	1193.00	1581.00	2372.00	1193.00
	H2200	1344.00	1781.00	2672.00	1344.00
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm		51.00 (+ 104 Batticarrello/Bumper Rail/Pare-choc Wagenstoßleiste/Parachoques)			

Cross Sections



*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.