

DRIFT


Hard Discount / Multideck
Retail Plug-in




BEST ENERGY CLASS*




Product Categories



Cheese




Dairy products




Delicatessen



Drinks



Meat



Pre-packed fish



Pre-packed fruit and vegetables



Sandwiches



Chicken

Technical Features



Electric defrost



High efficiency fans



Incorporated condensing unit



LED lighting



Off-cycle defrost



Propane refrigerant gas (R290)




Ventilated

DRIFT

Hard Discount / Multideck
Retail Plug-in

Certification and Patents



Eurovent

Product Range


DRIFT				
Length-Lunghezza Longueur-Länge-Longitud mm		1875	2500	1875 - EOL
DRIFT	CLOSED	•	•	•
	OPEN	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	CLOSED	2.82 - 3.77*	3.76 - 4.71*	2.82 - 3.77*
	OPEN	2.83 - 3.78*	3.78 - 4.73*	2.83 - 3.78*
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	CLOSED	1.72	2.28	1.72
	OPEN	1.72	2.28	1.72
Net storage capacity Capacità netta Nutzinhalt volume utile Capacidad neta dm3	CLOSED	731.00	975.00	731.00
	OPEN	675.00	900.00	675.00
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	CLOSED	30.00		
	OPEN	30.00		
Dimensions Dimensioni Größe Dimensions Dimensiones LxAxP mm	CLOSED	1940x1800x900	2565x1800x900	1940x1800x900
	OPEN	1940x1800x900	2565x1800x900	1940x1800x900

* With panoramic ends


DRIFT

Hard Discount / Multideck
Retail Plug-in

Cross Sections



SAMBA CLOSED



SAMBA OPEN

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.