

INK


Collage / Multideck
Retail Plug-in




BEST ENERGY CLASS*




Product Categories



Cheese



Dairy products




Delicatessen



Drinks



Meat



Pre-packed fish



Pre-packed fruit and vegetables



Sandwiches



Chicken

Technical Features



Electric defrost



High efficiency fans



Incorporated condensing unit



LED lighting



Propane refrigerant gas (R290)



Ventilated


Follow us on: by Epta

www.bonnetneve.com

Product Range

INK		
Length -Lunghezza Longueur-Länge-Longitud mm	937	1250
INK	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	1.61	1.94
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	0.73	0.95
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitat neta dm3	285	380
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	30	
Dimensions Dimensioni Größe Dimensions Dimensiones LxAxP mm	100x1480x730	1315x1480x730

Cross Sections



PEPPER

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.