

LATITUDE SV CLOSED

Complementaries / Serve-over counters
Retail Plug-in - Serve-over




BEST ENERGY CLASS*



Product Categories



Cheese



Dairy products



Delicatessen



Fruit and Vegetables




Gastronomy



Meat



Pastries



Pre-packed fish



Pre-packed fruit and vegetables



Sandwiches



Chicken

LATITUDE SV CLOSED

Complementaries / Serve-over counters

Retail Plug-in - Serve-over


Technical Features




High
efficiency
fans



Hot-gas
defrosting
system



Incorporated
condensing
unit



LED lighting



Propane
refrigerant
gas (R290)



Ventilated

Certification and Patents



Eurovent



Epta
Adamant

Product Range

LATITUDE SV CLOSED

Complementaries / Serve-over counters

Retail Plug-in - Serve-over




LATITUDE SV CLOSED				
LATITUDE	SV CLOSED			
	Modular H12	Modular H13	Modular H13	Volum H13
	1250	937	1250	1250
Display area Superficie di esposizione Warenpräsentations- fläche Surface d'exposition Superficie expositiva m2	1.81	2.00	2.4	2.68
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	1.12	0.86	1.12	1.40
Net storage capacity Capacità netta Nutzinhalt volume utile Capacidad neta dm3	120	136	186	222
Dimensions Dimensioni Größe Dimensions Dimensiones LxHxP mm	1250 1200 925	937 1300 925	1250 1300 925	1250 1300 1125

LATITUDE SV CLOSED


Complementaries / Serve-over counters
Retail Plug-in - Serve-over




Cross Sections



Sezione Stage SV Closed N H12



SV CLOSED N H13



SV CLOSED L H13

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.