

MULTIFREEZE PERFORM

MultiCity / Multideck
Integral



BEST ENERGY CLASS*



Product Categories



Frozen Food
and Ice
cream

Technical Features



High
efficiency
fans



Ventilated



Propane
refrigerant
gas (R290)



Incorporated
condensing
unit



LED lighting



Off-cycle
defrost



Free
maintenance
condenser

Follow us on:     by Epta

www.bonnetneve.com

MULTIFREEZE PERFORM

MultiCity / Multideck
Integral



Product Range


MULTIFREEZE PERFORM					
Lenght-Lunghezza Longueur-Länge-Longitud mm			1340 - 2D	2005 - 3D	2680 - 4D
MULTIFREEZE PERFORM			.	.	.
Dispalý area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	EFFICIA	BLIND	1.931	2.896	3.861
		PANORAMIC	3.194	4.159	5.134
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	EFFICIA		0.96	1.44	1.86
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitat neta dm3	EFFICIA		900	1350	1800
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm			62.00		

MULTIFREEZE PERFORM



MultiCity / Multideck
Integral

Cross Sections



*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.