

MULTIFROZEN PLUS

MultiCity / Multideck
Integral



BEST ENERGY CLASS*




Product Categories



Frozen Food
and Ice
cream

Technical Features



Free
maintenance
condenser



High
efficiency
fans



Hot-gas
defrosting
system



Incorporated
condensing
unit



LED lighting



Propane
refrigerant
gas (R290)




Ventilated

MULTIFROZEN PLUS

MultiCity / Multideck
Integral



Certification and Patents



Eurovent

Product Range


MULTIFROZEN PLUS		
Lenght -Lunghezza Longueur-Länge-Longitud mm	1340 - 2DOORS	2010 - 3DOORS
MULTIFROZEN PLUS	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	1.2	1.8
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	1.10	1.61
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitat neta dm3	460	720
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	30	

MULTIFROZEN PLUS

MultiCity / Multideck
Integral



Cross Sections



Twist Next

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.