


MULTIWINE PLUS

MultiCity / Multideck
Integral



BEST ENERGY CLASS*




Product Categories



Wine

Technical Features



Incorporated
condensing
unit



LED lighting



Ventilated



Propane
refrigerant
gas (R290)



High
efficiency
fans



Off-cycle
defrost



Free
maintenance
condenser

MULTIWINE PLUS

MultiCity / Multideck
Integral



Product Range


MULTIWINE PLUS	
Lenght - Lunghezza Longueur - Länge - Longitud mm	1250 - 2P
TANGO BIO	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2	1.78
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	0.96
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitat neta dm3	790.00
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chaque joue Espesor lateral mm	40.00

MULTIWINE PLUS

MultiCity / Multideck
Integral



Cross Sections



TANGO NEXT COMPACT

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.