NORDICSTAR MD7

NordicStar / Multideck
Chilled Vertical and Semivertical

BEST ENERGY CLASS*

Product Categories

Dairy products
Cheese
Pre-packed fish
Meat
Drinks
Pre-packed fruit and vegetables
Fruit and Vegetables

Technical Features

High efficiency fans
LED lighting
Off-cycle defrost
R744
Remote condensing unit
Ventilated

NORDICSTAR MD7

NordicStar / Multideck
Chilled Vertical and Semivertical

Product Range

External length (mm)	1250, 1875, 2500, 3750, crown ends 1980, 2500
External height (mm)	2055, 2255
External depth (mm)	990, 1190
Temperature range (°C)	-1 to +1, +0 to +2 and +2 to +4
Refrigerants	R744 (CO2), brine
Energy efficiency class	doors open

NORDICSTAR MD7

NordicStar / Multideck
Chilled Vertical and Semivertical

Cross Sections



MD7 25-99-226-GD



MD7 25-99-206-GD



MD7 25-119-206-GD



MD7 25-119-226-GD



MD7 25-99-226 Open



MD7 25-119-206 Open

NORDICSTAR MD7

NordicStar / Multideck

Chilled Vertical and Semivertical



MD7 25-119-226 Open



MD7 25-99-206 Open

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.