

SHAPE E-M INTEGRAL

Mozaik / Serve-over counters

Integral - Serve-over




BEST ENERGY CLASS*




Product Categories



Cheese



Dairy products



Delicatessen



Gastronomy



Meat



Chicken

Technical Features



High efficiency fans



Incorporated condensing unit



LED lighting



Off-cycle defrost



Propane refrigerant gas (R290)



Ventilated


SHAPE E-M INTEGRAL

Mozaik / Serve-over counters

Integral - Serve-over




Certification and Patents



Eurovent



TechnoKleen



Epta Adamant

Product Range

SHAPE E-M INTEGRAL													
Length-Lunghezza Longueur-Länge-Longitud mm		STUDIO				STYLE				DESIGN			
		937	1250	1875		937	1250	1875		937	1250	1875	
DD	E	•	•	•		•	•	•		•	•	•	
	M	•	•	•		•	•	•		•	•	•	
LD	E	•	•	•		•	•	•		•	•	•	
	M	•	•	•		•	•	•		•	•	•	
ODF	E	•	•	•		•	•	•		•	•	•	
	M	•	•	•		•	•	•		•	•	•	
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2/ml		E	0.75										
		M	0.85										
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2/ml		E	1.01										
		M	1.08										

RDB-RDA-WO 937, 1875, 2500: con scorrevoli posteriori/with sliding lids/avec coulissants
LS 937, 1250, 1875, 2500: con tenda notte/with night blind/avec rideaux de nuit


SHAPE E-M INTEGRAL

Mozaik / Serve-over counters

Integral - Serve-over




Cross Sections




* except length 1250

Velvet Integral C-N Style WO




* except length 1250

Velvet Integral C-N Style RDB




* except length 1250

Velvet Integral C-N Style RDA




* except length 1250

Velvet Integral C-N Design RDA



* except length 1250

Velvet Integral C-N Design RDB




* except length 1250

Velvet Integral C-N Design WO

SHAPE E-M INTEGRAL


Mozaik / Serve-over counters

Integral - Serve-over




* except length 1250

Velvet Integral C-N Studio RDB



* except length 1250

Velvet Integral C-N Studio RDA



* except length 1250

Velvet Integral C-N Studio WO

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.