

SHAPE E STYLE

Mozaiik / Serve-over counters


Serve-over




BEST ENERGY CLASS*




Product Categories



Cheese



Dairy products



Delicatessen



Gastronomy



Meat



Pastries



Chicken

Technical Features




High efficiency fans



LED lighting



Off-cycle defrost



Remote condensing unit




Ventilated

SHAPE E STYLE

Mozaik / Serve-over counters

Serve-over


Certification and Patents



Eurovent



TechnoKleen



Epta Adamant

Product Range


SHAPE E STYLE									
Length-Lunghezza Longueur-Länge-Longitud mm	937	1250	1875	2500	3125	3750	AO 90°	AO 45°	AF 45°
DD	•	•	•	•	•	•			
LD	•	•	•	•		•	•	•	
ODF	•	•	•	•		•		•	•
DDP	•	•	•	•		•	•	•	•
DC	•	•	•	•	•	•	•	•	•
LS	•	•	•	•	•	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2/ml	0.75								
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2/ml	1.01								
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	55.00								

SHAPE E STYLE

Mozaik / Serve-over counters


Serve-over

Cross Sections




Velvet C Style RCB

WO FEET





Velvet C Style piedi LS-C



RDB FEET

Serve-over




SHAPE E STYLE

Mozaik / Serve-over counters


Serve-over

 RDBP



Velvet C Style LS-C

 Velvet C Style con piedi LS-D




Velvet C Style RBDP

SHAPE E STYLE


Mozaik / Serve-over counters

Serve-over



Velvet C Style con piedi RCB

Velvet C Style LS-U



Velvet C Style WO

Velvet C Style Legs LS-U

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.