

SHAPE M PASTRY

Mozaik / Serve-over counters

Serve-over



BEST ENERGY CLASS*



NEW **DESIGN EVOLUTION** VERSION

Product Categories



Pastries


Technical Features



Off-cycle
defrost



Ventilated



Remote
condensing
unit



LED lighting



High
efficiency
fans

Follow us on:     by Epta

www.bonnetneve.com

SHAPE M PASTRY

Mozaik / Serve-over counters

Serve-over



Certification and Patents



Eurovent



TechnoKleen



Epta
Adamant

Product Range

SHAPE PASTRY						
Length -Lunghezza Longueur-Länge-Longitud mm	1250 DESIGN	2500 DESIGN	1250 STUDIO	2500 STUDIO	1250 STYLE	2500 STYLE
DD	•	•	•	•	•	•
LD	•	•	•	•	•	•
ODF	•	•	•	•	•	•
LC	•	•	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2/ml	1.09					
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2/ml	1.08					
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chaque joue Espesor lateral mm	55 Style/Studio - 35 Design					


SHAPE M PASTRY

Mozaik / Serve-over counters


Serve-over




Cross Sections




Velvet N Pastry Style WO



Velvet N Pastry Style Legs RDB



Velvet N Pastry Style RDB




Velvet N Pastry Style RCA


SHAPE M PASTRY

Mozaik / Serve-over counters


Serve-over




Velvet N Pastry Style Legs RDA



Velvet N Pastry Studio WO



Velvet N Pastry Style Legs WO




Velvet N Pastry Studio RDB


SHAPE M PASTRY

Mozaik / Serve-over counters


Serve-over




Velvet N Pastry Style Legs RCA



Velvet StudioPastry RDA



RDA





RCA

SHAPE M PASTRY

Mozaik / Serve-over counters

Serve-over



*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.