

SHAPE M PRISME

Mozaik / Serve-over counters

Serve-over



BEST ENERGY CLASS*



NEW **DESIGN EVOLUTION** VERSION


Product Categories




Meat



Chicken



Cheese



Dairy
products




Gastronomy

Technical Features



Ventilated



Remote
condensing
unit



LED lighting



High
efficiency
fans



Electric
defrost

Follow us on: [f](#) [y](#) [in](#) [ig](#) by Epta

www.bonnetneve.com

SHAPE M PRISME

Mozaik / Serve-over counters

Serve-over



Certification and Patents



Eurovent



Epta
Adamant



TechnoKleen

Product Range

SHAPE PRISME								
Length-Lunghezza Longueur-Länge-Longitud mm	937		1250		1875		2500	
	H1500	H1700	H1500	H1700	H1500	H1700	H1500	H1700
DESIGN	•	•	•	•	•	•	•	•
STUDIO	•	•	•	•	•	•	•	•
STYLE	•	•	•	•	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2			1.31					
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2			1.08					
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm			50.00					


SHAPE M PRISME

Mozaik / Serve-over counters


Serve-over




Cross Sections




DESIGN H15




STUDIO H15




STYLE H15



STYLE LEGS H15



DESIGN H17




STUDIO H17


SHAPE M PRISME

Mozaïk / Serve-over counters

Serve-over



STYLE H17



STYLE LEGS H17

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.