

SHAPE M STYLE

Mozaiik / Serve-over counters

Serve-over



BEST ENERGY CLASS*




Product Categories




Meat




Chicken



Delicatessen



Cheese



Dairy products



Gastronomy



Pastries


Technical Features



Off-cycle defrost



Ventilated



Remote condensing unit



LED lighting



High efficiency fans


SHAPE M STYLE

Mozaik / Serve-over counters

Serve-over



Certification and Patents



Eurovent



TechnoKleen



Epta Adamant

Product Range


SHAPE M STYLE									
Length-Lunghezza Longueur-Länge-Longitud mm	937	1250	1875	2500	3125	3750	AO 90°	AO 45°	AF 45°
DD	•	•	•	•	•	•			
LD	•	•	•	•		•	•	•	
ODF	•	•	•	•		•		•	•
DDP	•	•	•	•		•	•	•	•
LC	•	•	•	•	•	•	•	•	•
DC	•	•	•	•	•	•	•	•	•
LS	•	•	•	•	•	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficie expositiva m2/ml	0.85								
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2/ml	1.08								
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de chaque joue Espesor lateral mm	55.00								

SHAPE M STYLE


Mozaik / Serve-over counters

Serve-over


Cross Sections




Velvet N Style con piedi RDB



Velvet N Style RDBP



Velvet N Style RDB




Velvet N Style con piedi LS-D


SHAPE M STYLE

Mozaik / Serve-over counters


Serve-over




Velvet N Style LS-P



Velvet N Style RDA







Velvet N Style WO







Velvet N Style LS-D

Serve-over




Serve-over




SHAPE M STYLE

Mozaik / Serve-over counters

Serve-over



Velvet N Style con piedi WO



Velvet N Style con piedi RDBP

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.