


SHAPE SV CLOSED

Mozaïk / Multideck


Serve-over




BEST ENERGY CLASS*




Product Categories



Cheese




Dairy products



Delicatessen



Drinks




Fruit and Vegetables



Meat



Pastries



Pre-packed fish



Pre-packed fruit and vegetables



Sandwiches



Chicken

SHAPE SV CLOSED

Mozaik / Multideck

Serve-over

Technical Features




High
efficiency
fans



LED lighting



Natural
Defrost Plus



Remote
condensing
unit



Ventilated

Certification and Patents



Eurovent

Product Range

SHAPE SV CLOSED

Mozaik / Multideck

Serve-over

SHAPE SV CLOSED						
Lenght -Lunghezza Longueur-Länge-Longitud		mm	1250	1875	2500	3750
SHAPE SV CLOSED	DESIGN	H1300	•	•	•	•
		H1500	•	•	•	•
	STUDIO	H1300	•	•	•	•
		H1500	•	•	•	•
	STYLE	H1300	•	•	•	•
		H1500	•	•	•	•
Display area Superficie di esposizione Warenpräsentations- fläche Surface d'exposition Superficie expositiva m2	Modular	H1300	1.16	1.74	2.32	3.48
		H1500	1.44	2.16	2.88	4.32
Loading area Superficie di appog- gio Nutzfläche Surface de charge- ment Superficie de apoyo m2	Modular		1.35	2.02	2.70	4.05
End thickness Spessore spalla Stärke der Sei- tenwand Épaisseur de che- que joue Espesor lateral mm	55.00 Style-Studio / 35.00 Design					


SHAPE SV CLOSED

Mozaik / Multideck


Serve-over




Cross Sections




h13 studio




h15 studio




h13 style



h15 style



h13 style legs




h15 style legs


SHAPE SV CLOSED

Mozaik / Multideck

Serve-over



h13 design



h15 design

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.