

SKYEXPO V SLIDING

SkyEffect / Island

Negative Horizontal, Vertical and Semivertical



BEST ENERGY CLASS*



Product Categories



Frozen Food
and Ice
cream

Technical Features




Electric
defrost



High
efficiency
fans



LED lighting



Remote
condensing
unit



Ventilated


SKYEXPO V SLIDING

SkyEffect / Island

Negative Horizontal, Vertical and Semivertical



Certification and Patents



Eurovent

Product Range

GRANONTARIO L SLIDING				
Length -Lunghezza Longueur-Länge-Longitud mm	1885	2500	3750	EOL 2030
GRANONTARIO L SLIDING	•	•	•	•
Display area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficieexpositiva m2	4.324	5.806	8.709	2.57
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	3.78	5.05	7.57	2.82
Net storage capacity Capacità netta Nutzinhalt volume utile Capacidad neta dm3	1374.35	1824.64	2741.36	658.41
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm	Spalla panoramica/Panoramic end/Joue panoramique/ Verglaste Seitenwand/ Lateral panorámico: 70.00 (+ 104 batticarrello/bumper rail/pare-chocs/Stoßstange/ parachoque)			


SKYEXPO V SLIDING

SkyEffect / Island


Negative Horizontal, Vertical and Semivertical




Cross Sections




GRANONTARIO L SLIDING




GRANONTARIO SLIDING 1 SHELF



GRANONTARIO SLIDING 2 SHELVES



Sezione GranOntario L_GranDrake_EOL_Sliding Covers




GRANONTARIO LARGE ERGO SLIDING COVERS LINEAR

GRANONTARIO LARGE ERGO SLIDING COVERS END OF LINE


SKYEXPO V SLIDING

SkyEffect / Island

Negative Horizontal, Vertical and Semivertical



GRANONTARIO LARGE ERGO - SLIDING COVERS WITH
SUPERSTRUCTURE 1S



GRANONTARIO LARGE ERGO - SLIDING COVERS WITH
SUPERSTRUCTURE 2S

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.