

SKYLIGHT INTEGRAL PERFORM

SkyEffect / Multideck

Integral - Negative Horizontal, Vertical and Semivertical



BEST ENERGY CLASS*



Product Categories



Frozen Food
and Ice
cream

SKYLIGHT INTEGRAL PERFORM



SkyEffect / Multideck

Integral - Negative Horizontal, Vertical and Semivertical

Technical Features

Electric defrost	High efficiency fans	Incorporated condensing unit	LED lighting	Propane refrigerant gas (R290)	Ventilated

Product Range

SKYLIGHT INTEGRAL PERFORM							
Lenght-Lunghezza Longueur-Länge-Longitud mm			2D 1565	3D 2343	4D 3124	5D 3905	3D S EOL 2025
SKYLIGHT INTEGRAL PERFORM	2110	E	•	•			
		M	•	•	•	•	•
Dispaly area Superficie di esposizione Warenpräsentations- fläche Surface d'exposition Superficie expositiva m2	2110	E	2.31	3.47			
		M	2.52	3.78	5.04	6.30	4.43
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	2110	E	1.18	1.75			
		M	1.40	2.10	2.80	3.51	1.85
Net storage capacity Capacità netta Nutzinhalt volume utile Capacidad neta dm3	2110	E	1218.40	1827.50			
		M	1608.86	2413.29	3217.72	4022.15	1981
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm		52.00					



SKYLIGHT INTEGRAL PERFORM



SkyEffect / Multideck

Integral - Negative Horizontal, Vertical and Semivertical

Cross Sections



*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.