

SKYLIGHT INTEGRAL WL



SkyEffect / Multideck

Negative Horizontal, Vertical and Semivertical



BEST ENERGY CLASS*



Product Categories



Frozen Food
and Ice
cream


Technical Features



Electric
defrost



High
efficiency
fans



Incorporated
condensing
unit



LED lighting



R290

Propane
refrigerant
gas (R290)



Ventilated



WaterLoop

SKYLIGHT INTEGRAL WL



SkyEffect / Multideck

Negative Horizontal, Vertical and Semivertical

Product Range



SKYLIGHT INTEGRAL						
Length-Lunghezza Longueur-Länge-Longitud mm			2P 1565	3P 2343	3PS 2025	4P 3124
SKYLIGHT INTEGRAL	2110	E	•	•		•
		M	•	•	•	•
Display area Superficie di esposizione Warenpräsentat- ionsfläche Surface d'exposition Superficie expositiva m2	2110	E	2.30	3.50		4.60
		M	2.50	3.70	3.05	5.00
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	2110	E	1.18	1.75		2.36
		M	1.40	2.10	1,70	2.80
Net storage capacity Capacità netta Nutzinhalt volume utile Capacitat neta m3	2110	E	1218.40	1827.50		2346.70
		M	1608.90	2413.30	1980.60	3217.90
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheque joue Espesor lateral mm		52.00				

SKYLIGHT INTEGRAL WL

SkyEffect / Multideck

Negative Horizontal, Vertical and Semivertical

Cross Sections



*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.