

SKYVIEW INTEGRAL PERFORM



SkyEffect / Multideck


Chilled Vertical and Semivertical - Integral




BEST ENERGY CLASS*




Product Categories



Cheese



Dairy products



Delicatessen




Drinks



Fruit and Vegetables



Meat



Pre-packed fish



Pre-packed fruit and vegetables



Sandwiches



Chicken

SKYVIEW INTEGRAL PERFORM


SkyEffect / Multideck

Chilled Vertical and Semivertical - Integral

Technical Features



High
efficiency
fans



Incorporated
condensing
unit



LED lighting




Off-cycle
defrost



Propane
refrigerant
gas (R290)

Certification and Patents



Eurovent

Product Range


SKYVIEW INTEGRAL PERFORM




SkyEffect / Multideck

Chilled Vertical and Semivertical - Integral


SKYVIEW INTEGRAL PERFORM											
Lenght-Lunghezza Longueur-Länge-Longitud mm		1250		1875		2500		3750		EOL 1960	
		AIR	WL	AIR	WL	AIR	WL	AIR	WL	AIR	WL
Altezza mm		2070		2070		2070		2070		2070	
SKYVIEW INTEGRAL PERFORM	Efficia	•				•		•			
	Modular	•	•	•		•	•	•	•	•	
	Volum	•				•		•			
Display area Superficie di esposizione Warenpräsentat- ionsfläche Surface d'exposition Superficie expositiva m2	Efficia	1.96				3.92		5.88			
	Modular	2.08	2.08	3.11		4.16	4.16	6.24	6.24	3.11	
	Volum	2.00				4.00		6.00			
Loading area Superficie di ap- poggio Nutzfläche Surface de chargement Superficie de apoyo m2	Efficia	1.08				2.17		3,24			
	Modular	2.52	2.52	1.94		5.05	5.05	7.56	7.56	1.94	
	Volum	1.46				2.92		4.38			
End thickness Spessore spalla Stärke der Sei- tenwand Épaisseur de che- que joue Espesor lateral mm		38.00 (+ 35 Bumper Rail) solid end 43.00 (+ 35 Bumper Rail) panoramic end									



COMPACT



Narrow



Large

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.