

SKYVIEW PERFORM



SkyEffect / Multideck


Chilled Vertical and Semivertical




BEST ENERGY CLASS*




Product Categories




Cheese



Dairy products




Delicatessen



Fruit and Vegetables



Meat



Pre-packed fish



Pre-packed fruit and vegetables



Chicken

Technical Features



Electric defrost




High efficiency fans



LED lighting



Off-cycle defrost



Remote condensing unit



Ventilated


SKYVIEW PERFORM

SkyEffect / Multideck

Chilled Vertical and Semivertical



Certification and Patents




Eurovent


Product Range

SKYVIEW PERFORM						
Lenght -Lunghezza Longueur-Länge-Longitud mm		1250	1875	2500	3750	EOL 1960
SKYVIEW PERFORM	Modular	•	•	•	•	•
	Volum	•	•	•	•	-
Dispaly area Superficie di esposizione Warenpräsentationsfläche Surface d'exposition Superficieexpositiva m2	Modular	2.19	3.29	4.37	6.56	4.43
	Volum	2.24	3.37	4.49	6.37	-
Loading area Superficie di appoggio Nutzfläche Surface de chargement Superficie de apoyo m2	Modular	1.12	1.68	2.25	3.37	1.76
	Volum	1.31	1.96	2.62	3.93	-
Net storage capacity Capacità netta Nutzinhalt volume utile Capacidad neta dm3	Modular	967	1450	1934	2901	1450
	Volum	1163	1744	2326	3488	-
End thickness Spessore spalla Stärke der Seitenwand Épaisseur de cheue joue Espesor lateral mm		20				42

Cross Sections



GRANVISTA ULTRA NARROW



GRANVISTA ULTRA LARGE

*The information on the energy class (according to EU regulations 2019/2018 and EU 2019/2024) reported here refers to standard models and precise product configurations and set-ups. The site is based on the information available at the time of publication. As the energy class depends on the specific product configuration, despite the efforts made to ensure the greatest possible accuracy, the real data can differ significantly from the data declared here. For further information, we invite you to consult the European Product Database for Energy Labelling (EPREL) or to contact our Sales Office.