




Epta S.p.A. participates in the ECC programme for Refrigerated display cabinets (RDC). Check ongoing validity of certificate online: [www.eurovent-certification.com](http://www.eurovent-certification.com) or using: [www.certiflash.com](http://www.certiflash.com)




SkyShin					
Length mm		2P - 1565	3P - 2343	EOL 2P - 1664	EOL 3P - 2025
SkyShin	Efficia	•	•	•	
	Modular	•	•		•
Display area m2	Efficia	1.40	2.10	1.40	
	Modular				1.60
Loading area m2	Efficia	1.18	1.75	1.18	
	Modular	1.40	2.10		2.10
Net storage capacity dm3	Efficia	731.00	1097.00	731.00	
	Modular	964.00	1446.00		1187.00
End thickness mm		5.10		Included	Included

### EFFICIA



### MODULAR



## Legend

 Meat	 Chicken	 Fish	 Pre-packed fish
 Delicatessen	 Cheese	 Dairy products	 Gastronomy
 Pastries	 Pre-packed fish	 Fruits and Vegetables	 Sandwiches
 Drinks	 Pizza	 Bread	 Frozen food and ice cream
 Off-cycle defrost	 Electric defrost	 Hot-gas defrosting system	 Manual defrost
 Ventilated	 Static	 Incorporated condensing unit	 Remote condensing unit
 Bagnomaria	 Ceramic glass	 Ice	 VSD Inverter technology
 LED lighting	 Zero C doors	 High efficiency fans	 R290 Propane refrigerant gas (R290)
 R134a - 400V/3PH/50Hz	 R404A - 400V/3PH/50Hz	 R744 - 400V/PH/50Hz	 Semi-hermetic reciprocating compressor
 Hermetic scroll compressor	 Compressor hermetic reciprocating	 External installation	 Machinery room
 Soundproof housing	 On board condenser	 Remote condenser	 DUAL Medium & Low temperature